

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor: S.D. Smith Attorney Docket No: STBK121433  
 Patent No: US 6,726,946 B1 Group Art Unit: 1761  
 Issued: April 27, 2004  
 Title: METHOD OF INFUSING A DRINK

NOTIFICATION OF ERRORS

Seattle, Washington 98101

TO THE COMMISSIONER FOR PATENTS:

The following errors were noted in a review of the above-identified Letters Patent. These errors were either inadvertently made in the original application or occurred in the printing of the patent. Since the errors are of an obvious nature, a formal Certificate of Correction is not believed to be warranted at this time. Therefore, it is requested that this notification be placed in the U.S. Patent and Trademark Office file.

| Column                   | Line           | Error   |
|--------------------------|----------------|---|
| (73)<br>Pg. 1, col.<br>1 | Assignee       | "Co.," should read --Company,--                         |
| 6<br>(Claim 1,           | 13<br>line 32) | "container, wherein" should read --container; wherein-- |


**Certificate**  
**DEC 13 2005**  
**of Correction**

LAW OFFICES OF  
 CHRISTENSEN O'CONNOR JOHNSON KINDNESS<sup>PLC</sup>  
 1420 Fifth Avenue  
 Suite 2800  
 Seattle, Washington 98101  
 206.682.8100

| Column         | Line          | Error   |
|----------------|---------------|---|
| 6<br>(Claim 3, | 22<br>line 2) | "further comprising;" should read --further comprising:-- |

Respectfully submitted,

CHRISTENSEN O'CONNOR  
JOHNSON KINDNESS<sup>PLLC</sup>

  
Dennis K. Shelton  
Registration No. 26,997  
Direct Dial No. 206.695.1718

I hereby certify that this correspondence is being deposited with the U.S. Postal Service in a sealed envelope as first class mail with postage thereon fully prepaid and addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the below date.

Date:

12/2/05

  
\_\_\_\_\_  
Carol Gulyan

DKS:lac

LAW OFFICES OF  
CHRISTENSEN O'CONNOR JOHNSON KINDNESS<sup>PLLC</sup>  
1420 Fifth Avenue  
Suite 2800  
Seattle, Washington 98101  
206.682.8100